





KATALOGUE

ELEMENTS FOR MOUNTING FENCES




Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B001 SG	Base 150x100x6 mm under the post 60x40x2 mm height 150mm	Hot dip galvanized	Upper weld	6 x slotted holes 13x24mm	Without a cutout
B001 SD	Base 150x100x6 mm under the post 60x40x2 mm height 150 mm	Hot dip galvanized	Lower weld	6 x slotted holes 13x24mm	Without a cutout
B001 SGR	Base 150x100x6 mm under the post 60x40x2 mm height 150 mm	Galvanized + powder painting RAL*	Upper weld	6 x slotted holes 13x24mm	Without a cutout
B001 SDR	Base 150x100x6 mm under the post 60x40x2 mm height 150 mm	Galvanized + powder painting RAL*	Lower weld	6 x slotted holes 13x24mm	Without a cutout

*All colours from RAL are abled




Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B002 SG	Base 150x100x6 mm under the post 60x40x2mm Height 150mm	Hot dip galvanized	Upper weld	6 x slotted holes 13x24mm	1 x U cutout
B002 SD	Base 150x100x6 mm under the post 60x40x2mm Height 150mm	Hot dip galvanized	Lower weld	6 x slotted holes 13x24mm	1 x U cutout
B002 SGR	Base 150x100x6 mm under the post 60x40x2mm Height 150mm	Galvanized + powder painting RAL*	Upper weld	6 x slotted holes 13x24mm	1 x U cutout
B002 SDR	Base 150x100x6 mm under the post 60x40x2mm Height 150mm	Galvanized + powder painting RAL*	Lower weld	6 x slotted holes 13x24mm	1 x U cutout

* All colours from RAL are abled





Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B002 SD8	Base 150x100x8 mm under the post 60x40x2 mm height 150mm	Hot dip galvanized	Upper weld	6 x slotted holes 13x24 mm	1 x U cutout
B002 SD8	Base 150x100x8 mm under the post 60x40x2 mm height 150mm	Hot dip galvanized	Lower weld	6 x slotted holes 13x24 mm	1 x U cutout
B002 SGR8	Base 150x100x8 mm under the post 60x40x2 mm height 150mm	Galvanized + powder painting RAL*	Upper weld	6 x slotted holes 13x24 mm	1 x U cutout
B002 SDR8	Base 150x100x8 mm Under the post 60x40x2 mm height 150mm	Galvanized + powder painting RAL*	Lower weld	6 x slotted holes 13x24 mm	1 x U cutout

* All colours from RAL are abled





Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B003 SG	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Hot dip galvanized	Upper weld	3 x slotted holes 13x24 mm	Without a cutout
B003 SD	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Hot dip galvanized	Lower weld	3 x slotted holes 13x24 mm	Without a cutout
B003 SGR	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Galvanized + powder painting RAL*	Upper weld	3 x slotted holes 13x24 mm	Without a cutout
B003 SDR	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Galvanized + powder painting RAL*	Lower weld	3 x slotted holes 13x24 mm	Without a cutout

* All colours from RAL are abled



Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B004 SG	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Hot dip galvanized	Upper weld	3 x slotted holes 13x24 mm	1 x U cutout
B004 SD	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Hot dip galvanized	Lower weld	3 x slotted holes 13x24 mm	1 x U cutout
B004 SGR	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Galvanized + powder painting RAL*	Upper weld	3 x slotted holes 13x24 mm	1 x U cutout
B004 SDR	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Galvanized + powder painting RAL*	Lower weld	3 x slotted holes 13x24 mm	1 x U cutout

*All colours from RAL are abled



Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B004 SG8	Angular base 120x110x8 mm under the post 60x40x2 mm Height 150mm	Hot dip galvanized	Upper weld	3 x slotted holes 13x24 mm	1 x U cutout
B004 SD8	Angular base 120x110x8 mm under the post 60x40x2 mm Height 150mm	Hot dip galvanized	Lower weld	3 x slotted holes 13x24 mm	1 x U cutout
B004 SGR8	Angular base 120x110x8 mm under the post 60x40x2 mm Height 150mm	Galvanized + powder painting RAL*	Upper weld	3 x slotted holes 13x24 mm	1 x U cutout
B004 SDR8	Angular base 120x110x8 mm under the post 60x40x2 mm Height 150mm	Galvanized + powder painting RAL*	Lower weld	3 x slotted holes 13x24 mm	1 x U cutout

*All colours from RAL are abled




Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B008 SG	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Hot dip galvanized	Upper weld	3 x slotted holes 13x24 mm	2 x U cutout
B008 SD	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Hot dip galvanized	Lower weld	3 x slotted holes 13x24 mm	2 x U cutout
B008 SGR	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Galvanized + powder painting RAL*	Upper weld	3 x slotted holes 13x24 mm	2 x U cutout
B008 SDR	Angular base 120x110x6 mm under the post 60x40x2 mm height 150mm	Galvanized + powder painting RAL*	Lower weld	3 x slotted holes 13x24 mm	2 x U cutout

*All colours from RAL are abled




Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B008 Sg8	Angular base 120x110x8 under the post 60x40x2 mm height 150mm	Hot dip galvanized	Upper weld	3 x slotted holes 13x24 mm	2 x U cutout
B008 Sd8	Angular base 120x110x8 under the post 60x40x2 mm height 150mm	Hot dip galvanized	Lower weld	3 x slotted holes 13x24 mm	2 x U cutout
B008 SGR8	Angular base 120x110x8 under the post 60x40x2 mm height 150mm	Galvanized + powder painting RAL*	Upper weld	3 x slotted holes 13x24 mm	2 x U cutout
B008 SDR8	Angular base 120x110x8 under the post 60x40x2 mm height 150mm	Galvanized + powder painting RAL*	Lower weld	3 x slotted holes 13x24 mm	2 x U cutout

*All colrous from RAL are abled



Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B009	Base 150x100x6 mm under the post 60x40x2 mm Height 300mm	Hot dip galvanized	Upper/lower weld	4 x ϕ hole 13mm	1 x U cutout
B010	Base 150x100x6 mm under the post 60x40x2 mm Height 300mm	Galvanized + powder painting RAL*	Upper/lower weld	4 x ϕ hole 13mm	1 x U cutout
B0011	Base 150x100x8 mm under the post 60x40x2 mm Height 300mm	Hot dip galvanized	Upper/lower weld	4 x ϕ hole 13mm	1 x U cutout
B012	Base 150x100x8 mm under the post 60x40x2 mm Height 300mm	Galvanized + powder painting RAL*	Upper/lower weld	4 x ϕ hole 13mm	1 x U cutout

*All colours from RAL are abled




Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B013	Base 150x150x6 mm Under the post 60x40x2 mm Height 300mm	Got dip galvanized	Upper/lower weld	4 x ϕ hole 13mm	1 x U cutout
B014	Base 150x150x6 mm Under the post 60x40x2 mm Height 300mm	Galvanized + powder painting RAL*	Upper/lower weld	4 x ϕ hole 13mm	1 x U cutout
B0015	Base 150x150x8 mm Under the post 60x40x2 mm Height 300mm	Hot dip galvanized	Upper/lower weld	4 x ϕ hole 13mm	1 x U cutout
B016	Base 150x150x8 mm Under the post 60x40x2 mm Height 300mm	Galvanized + powder painting RAL*	Upper/lower weld	4 x ϕ hole 13mm	1 x U cutout

* All colours from RAL are abled





Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B017 SG	Angular base 120x110x6 mm Under the post 60x40x2 Height 300mm	Hot dip galvanized	Upper weld	3 x slotted holes 13x24 mm	2 x U cutout
B017 SD	Angular base 120x110x6 mm Under the post 60x40x2 Height 300mm	Hot dip galvanized	Lower weld	3 x slotted holes 13x24 mm	2 x U cutout
B017 SGR	Angular base 120x110x6 mm Under the post 60x40x2 Height 300mm	Galvanized + powder painting RAL*	Upper weld	3 x slotted holes 13x24 mm	2 x U cutout
B017 SDR	Angular base 120x110x6 mm Under the post 60x40x2 Height 300mm	Galvanized + powder painting RAL*	Lower weld	3 x slotted holes 13x24 mm	2 x U cutout

* All colours from RAL are abled





Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B017 SG8	Angular base 120x110x8 mm Under the post 60x40x2 mm Height 300mm	Hot dip galvanized	Upper weld	3 x slotted holes 13x24 mm	2 x U cutout
B017 SD8	Angular base 120x110x8 mm Under the post 60x40x2 mm Height 300mm	Hot dip galvanized	Lower weld	3 x slotted holes 13x24 mm	2 x U cutout
B017 SGR8	Angular base 120x110x8 mm Under the post 60x40x2 mm Height 300mm	Galvanized + powder painting RAL*	Upper weld	3 x slotted holes 13x24 mm	2 x U cutout
B017 SDR8	Angular base 120x110x8 mm Under the post 60x40x2 mm Height 300mm	Galvanized + powder painting RAL*	Lower weld	3 x slotted holes 13x24 mm	2 x U cutout

* All colours from RAL are abled




Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B018 SG	Angular base 120x110x6 mm under the post 60x40x2 mm Height 300mm	Hot dip galvanized	Upper weld	3 x slotted holes 13x24 mm	1 x U cutout
B018 SD	Angular base 120x110x6 mm under the post 60x40x2 mm Height 300mm	Hot dip galvanized	Lower weld	3 x slotted holes 13x24 mm	1 x U cutout
B018 SGR	Angular base 120x110x6 mm under the post 60x40x2 mm Height 300mm	Galvanized + powder painting RAL*	Upper weld	3 x slotted holes 13x24 mm	1 x U cutout
B018 SDR	Angular base 120x110x6 mm under the post 60x40x2 mm Height 300mm	Galvanized + powder painting RAL*	Lower weld	3 x slotted holes 13x24 mm	1 x U cutout

* All colours from RAL are abled



Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B018 SG8	Angular base 120x110x8 mm under the post 60x40x2 mm Height 300mm	Hot dip galvanized	Upper weld	3 x slotted holes 13x24	1 x U cutout
B018 SD8	Angular base 120x110x8 mm under the post 60x40x2 mm Height 300mm	Hot dip galvanized	Lower weld	3 x slotted holes 13x24	1 x U cutout
B018 SGR8	Angular base 120x110x8 mm under the post 60x40x2 mm Height 300mm	Galvanized + powder painting RAL*	Upper weld	3 x slotted holes 13x24	1 x U cutout
B018 SDR8	Angular base 120x110x8 mm under the post 60x40x2 mm Height 300mm	Galvanized + powder painting RAL*	Lower weld	3 x slotted holes 13x24	1 x U cutout


* All colours from RAL are abled



Lower weld

Catalogue number	Name	Outer layerCoating	Type of weld	Type of holes	Number of cutouts
B019 SD	Base 120x120x6 mm under The corner post 60x60x2 mm Height 200mm	Hot dip galvanized	Lower weld	4 x slotted holes 13x24 mm	2 x U cutout
B0019 SDR	Base 120x120x6 mm under The corner post 60x60x2 mm Height 200mm	Galvanized + powder painting RAL*	Lower weld	4 x slotted holes 13x24 mm	2 x U cutout




* All colours from RAL are abled



Lower weld

Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B020 SD	Base 200x200x10 mm under the gate post 80x80 mm Height 600mm	Galvanized	Lower weld	4 x ϕ hole 15mm	4 x U cutout
B0020 SDR	Base 200x200x10 mm under the gate post 80x80 mm Height 600mm	Galvanized + powder painting RAL*	Lower weld	4 x ϕ hole 15mm	4 x U cutout

*All colours from RAL are abled




Catalogue number	Name	Coating	Type of weld	Type of holes	Number of cutouts
B005 SG	Base 150x100x8 mm Under the post 60x60 mm height (55x55x3 mm) 200 mm hoch	Hot dip galvanized	Upper weld	4 x ϕ hole 13mm	Without a cutout
B005 SGR	Base 150x100x8 mm Under the post 60x60 mm height (55x55x3 mm) 200 mm	Galvanized + powder painting RAL*	Upper weld	4 x ϕ hole 13mm	Without a cutout
B006 SG	Base 150x100x8 mm Under the post 80x80 mm Height (70x70x3 mm) 200 mm	Hot dip galvanized	Upper weld	4 x ϕ hole 13mm	Without a cutout
B006 SGR	Base 150x100x8 mm Under the post 80x80 mm Height (70x70x3 mm) 200 mm	Galvanized + powder painting RAL*	Upper weld	4 x ϕ hole 13mm	Without a cutout
B007 SG	Base 150x150x8 mm Under the post 100x100 mm height (90x90x4 mm) 200 mm hoch	Hot dip galvanized	Upper weld	4 x ϕ hole 13mm	Without a cutout
B007 SGR	Base 150x150x8 mm Under the post 100x100 mm height (90x90x4 mm) 200 mm hoch	Galvanized + powder painting RAL*	Upper weld	4 x ϕ hole 13mm	Without a cutout


* All colours from RAL are abled



Catalogue number	Number	Coating	Number of cutouts
P001	Simple post connector 60x40 - length 300 mm	Hot dip galvanized	2 x U cutout
P002	Simple post connector 60x40 - length 200 mm	Hot dip galvanized	2 x U cutout
P003	Simple post connector 60x40 - length 500 mm	Hot dip galvanized	2 x U cutout



*All colours from RAL are abled



Catalogue number	Name	Coating	Type	Number of loops	Number of cutouts in connected profile
S001	Barbed wire boom Type Y for post 60x40mm,	Electro galvanized	2x45°, 2 x post cap	6 x loops with a bolt	2 x U cutout
S001F	Barbed wire boom Type Y for post 60x40mm,	Hot dip galvanized	2x45°, 2 x post cap	6 x loops with a bolt	2 x U cutout
S001R	Barbed wire boom Type Y for post 60x40mm,	Galvanized + powder painting RAL*	2x45°, 2 x post cap	6 x loops with a bolt	2 x U cutout


* All colours from RAL are abled



Catalogue number	Name	Coating	Type	Number of loops	Number of cutouts in connected profile
S002	Barbed wire boom on the post 60x40mm	Electro galvanized	1x45°, 1 x post cap	3 x loops with bolt	2 x U cutout
S002F	Barbed wire boom on the post 60x40mm	Hot dip galvanized	1x45°, 1 x post cap	3 x loops with bolt	2 x U cutout
S002R	Barbed wire boom on the post 60x40mm	Galvanized + powder painting RAL*	1x45°, 1 x post cap	3 x loops with bolt	2 x U cutout

*All colours from RAL are abled

Catalogue number	Name	Coating	Type of holes
W001	Gantry hinge for wall mounting 150x100x6mm	Hot dip galvanized	4 x ϕ hole 13mm
W001R	Gantry hinge for wall mounting 150x100x6mm	Galvanized + powder painting RAL*	4 x ϕ hole 13mm



Catalogue number	Name	Coating	Type of hole
BH001	Gate limiter for concreting - length 350mm	Hot dip galvanized	Round or slotted hole



Catalogue number	Name	Coating	
P003	Angular post connector 45°	Hot dip galvanized	2 x U cutout
P003R	Angular post connector 45°	Galvanized + powder painting RAL*	2 x U cutout



Catalogue number	Name	Coating	
E001	Base for the post 60x40x2 for driving into the ground, length 800mm, Sheet metal spitz 2 mm L=600mm	Hot dip galvanized	Under the post 60x40x2 Without U cutout
E002	Base for the post 60x40x2 for driving into the ground, length 800mm, Sheet metal spitz 2 mm L=600mm	Hot dip galvanized	Under the post 60x40x2 1 x U cutout



Catalogue number	Name	Coating	
B021	Base for the post 60x40x2 for concreting. Profile 55x35x2 mm, L=150. Bar ϕ 16 L=200	Hot dip galvanized	1 x U cutout
B022	Base for the post 60x40x2 for concreting. Profile 55x35x2 mm, L=200. Bar ϕ 16 L=200	Hot dip galvanized	1 x U cutout



* All colours from RAL are abled



RJT Sp. z o.o.

**ul. Kwiatowa 3
58-130 Żarów
woj. Dolnośląskie**

tel./fax +48 74 850 11 31

**www.rjtpolska.pl
biuro@rjtpolska.pl**



www.rjtpolska.pl